

Sr. No	Topic	Page No.
1.	Introduction	03
2.	A- MAGNETIC STRIRRING BAR	03-04
3.	A-01 Cylindrical Magnetic Stirring Bars	05
4.	A-02 Octogon Magnetic Stirring Bars	06
5.	A-03 Oval Magnetic Stirring Bars (imp/octra)	06
6.	A-04 Egg Shape Magnetic Stirring Bars	07
7.	A-05 Cross Head Magnetic Stirring Bars	07
8.	A-06 Star Head Magnetic Stirring Bars	07
9.	A-07 Triangular Magnetic Stirring Bars	08
10.	A-08 Dumbell Magnetic Stirring Bars	08
11.	A-09 Tapered Magnetic Stirring Bars	08
12.	A-10 Micro Magnetic Stirring Bars	09
13.	A-11 Cell Magnetic Stirring Bars	09
14.	A-12 Spherical Magnetic Stirring Bars	09
15.	A-13 Jumbo Magnetic Stirring Bars	10
16.	A-14 Spinwing Magnetic Stirring Bars	10
17.	A-15 Retriever/Policeman Magnetic Stirring Bars	10
18.	A-16 Flexible Retriever	11
19.	A-17 Assortment Kits of Magnetic Stirring Bars	11
20.	A-18 Stuffing Box	11
21.	A-19 Brass Pulley Stuffing Box	12
22.	A-20 All Ptfе Pulley	12
23.	A-21 Mercury Seal	12
24.	A-22 Blades-Stirrer	13
25.	B-1 Beaker	14
26.	B-2 Lid for Beakers	14
27.	B-3 PTFE Wide Mouth Bottles	15
28.	B-5 Conical Flask Wide Mouth	15
29.	B-6 Conical Flask Wide Mouth with Screw Cap	15
30.	B-7 Crucibles	16
31.	B-8 Lids for Crucibles	16
32.	B-9 Evaporating Dishses Conical Shape with Spout	16
33.	B-10 Evaporating Dishses Cylindrical Shape	17
34.	B-11 Tissue Grinders	17
35.	B-12 Jars or Vessels with Screw Cap	17
36.	B-13 Watch Glass	18
37.	B-14 Basin With Spout Ptfе	18
37.	B-15 Centrifuge Tubes with Round Bottoms	19
38.	B-16 Centrifuge Tubes with Conical Shape	19
39.	B-17 Centrifuge tubes screw cap or conical bottom	20
40.	B-18 Test Tubes	20
41.	B-19 Test Tubes with Socket	20
42.	B-20 Test Tube Rack Excellent Chemical Resistant	21
43.	B-21 PTFE Syring Filter	21

Sr. No	Topic	Page No.
44.	B-22 PTFE Petri Dish Top Or Bottom	21
45.	C-01 Solid Stoppers with standard ground joint hexagonal grip	22
46.	C-02 Joining Sleeves	22
47.	C-03 Rigid Sleeves	22
48.	C-04 Funnels	23
49.	C-06 Reduction and Expansion Socket in Cone	23
50.	C-07 Forceps with Pointed Ends	23
51.	C-08 Forceps with Blunt Ends	24
52.	C-09 Double Spatulas	24
54.	C-12 Plain Stirring Rod	25
55.	C-13 Plain Stirring Rod with Metal Insert	25
56.	C-14 Solid Spherical Balls with Smooth Surface	25
57.	GMS Microscope Slides	26
58.	GMS Microscope cover Slip	26

POLYTETRA FLUOROETHYLENE (PTFE)

- This non thermoplastic resin combines a number of outstanding features which so far in this combination are unequalled by any other material. PTFE is attacked only by molten alkali metals, liquid ammonia and free fluorine otherwise it is inert to all chemicals even at elevated temperatures. It has no true melting point, but starts to decompose at about 400°C. It has safety to be used within a temp range at - 200°C to + 275°C.
- PTFE has an exceptionally low coefficient of friction which makes it of value for non stick applications and makes it self lubricating. Which is one of the main advantages of PTFE stopcock plugs or sleeves for interchangeable ground joints.
- PTFE is unbreakable, non inflammable and can be considered as a useful alternative to platinum upto temp 275°C.
- These remarkable properties offer a solution to a lot of application oriented problems in laboratories, other materials like glass, metals or rubber are efficiently complimented or replaced thereby enhancing the value by the improvement of the performance of the respective products.
- All the products mentioned in this list are made from PTFE (commonly known as TEFLON is the Registered Trade Mark of E.I DuPont (U.S.A.) only and guaranteed to function for the purposes mentioned against each.
- If your requirements are different please do not hesitate to contact us, as our R&D Department continuously accepts new developments & challenges.

A - STIRRING

MAGNETIC STIRRING BAR :- SELECTION & USE

Magnetic Stirring and Mixing is used in a number of laboratories. Selecting the best stirring bar for a particular application can improve result dramatically.

Varying any or all of following factors will alter the motion like size, shape or length of the bar but it also depends on the vessel shape, viscosity and turbulence in the stirring process to the solution.

For Optimum efficiency, the distance between the magnetic poles of the drive magnet and the length of stirring bar should be equal for the best magnetic coupling, the distance between the magnets should be minimised.

All magnetic stirring bar consists of **Alnico V Magnet** encapsulated in PTEE coating and offers the magnetic strength and usefulness.

The magnetic stirring bar should be placed directly over the centre of the drive magnet, the speed should be increased slowly Matching the drive stirring magnet improves the result. The Shape of the magnetic stirring bar also influences the resulting vortex.

We provide the best stirring bars selecting from our wide range of bars suitable for the job. Stirring bars are commonly called bars / rotors / paddles / followers etc.

Advance production techniques, high magnetic strength, long life by using Alnico V Magnetic Core are, fully encapsulated in high grade PTFE. Strict Quality Control of magnetic strength, positioning of magnetic core, finish, uniformity of PTFE coating are leakproof, seamless and many other factors gives the best Magnetic Stirring bar manufactured by M/s M G Polymer Products Ahmednagar.

MAGNETIC STRIRRING BAR (All sizes are app. dia, Length and Hight)

A-1	Cylindrical Magnetic Stirring Bars	A-12	Spherical Magnetic Stirring Bars
A-2	Octogon Magnetic Stirring Bars	A-13	Jumbo Magnetic Stirring Bars
A-3	Oval Magnetic Stirring Bars (imp/octra)	A-14	Spinwing Magnetic Stirring Bars
A-4	Egg Shape Magnetic Stirring Bars	A-15	Retriever/Policeman Magnetic Stirring Bars
A-5	Cross Head Magnetic Stirring Bars	A-16	Flexible Retriever
A-6	Star Head Magnetic Stirring Bars	A-17	Assortment Kits of Magnetic Stirring Bars
A-7	Triangular Magnetic Stirring Bars	A-18	Stuffing Box
A-8	Dumbell Magnetic Stirring Bars	A-19	Brass Pulley Stuffing Box
A-9	Tapered Magnetic Stirring Bars	A-20	PTFE Pulley Stuffing Box
A-10	Micro Magnetic Stirring Bars	A-21	Mercury Seal
A-11	Cell Magnetic Stirring Bars	A-22	Blades-Stirrer

A-01 Cylindrical Magnetic Stirring Bars



Cylindrical Magnetic Stirring Bar with moulded centre ring contains Alnico V Magnet. Magnets fully encapsulated, leakproof, seamless, polished bars offers excellent centring and smooth running characteristics, universal application.

The same can be supplied without pivot ring.

APP. DIA X LENGTH MM		PRICE / PIECE RS.
5	6	100.00
5	8	100.00
5	10	100.00
6	10	100.00
6	12	90.00
6	18	90.00
6	25	100.00
6	30	110.00
6	35	120.00
7	15	110.00
8	14	120.00
8	20	130.00
8	22	130.00
8	25	130.00
8	30	140.00
8	35	150.00
8	40	170.00
8	50	190.00
8	60	230.00
8	65	250.00
9	18	130.00
9	20	130.00
9	22	130.00
9	25	130.00
9	30	140.00
9	35	150.00
9.5	40	170.00
9.5	45	190.00
9.5	50	190.00
9.5	60	230.00
9.5	65	250.00
9.5	75	270.00
9.5	80	320.00
9.5	90	330.00
13	35	260.00
13	50	310.00
13	65	460.00
13	75	520.00
13	100	730.00
16	65	1350.00
16	101	1950.00
16	127	2900.00

A-02 Octagon Magnetic Stirring Bars



OCTAGONAL Magnetic Stirring Bars With Moulded pivot ring. Angular Surface Creates high turbulence even at low speed, provides greater surface area and added turbulence compared to Cylindrical bars.

APP. DIA X LENGTH MM		PRICE / PIECE RS.
8	13	100.00
8	16	100.00
8	19	100.00
8	22	110.00
8	25	110.00
8	30	135.00
8	38	135.00
8	41	140.00
8	51	150.00
8	64	290.00
9.5	13	140.00
9.5	19	150.00
9.5	25	150.00
9.5	38	160.00
9.5	41	170.00
9.5	51	190.00
13	50	310.00
13	75	520.00

A-03 Oval Magnetic Stirring Bars (imp/octra)



Oval Magnetic Stirring Bars - Oval (octra) for use in round bottom flasks

APP. DIA X LENGTH MM		PRICE / PIECE RS.
4	8	160.00
5	10	120.00
6	15	120.00
10	20	160.00
10	25	180.00
10	30	190.00
12	25	210.00
13	35	250.00
13	40	280.00
16	30	260.00
16	35	280.00
17	50	350.00
20	40	340.00
20	50	390.00
20	64	480.00
20	70	570.00
25	70	970.00

A-04 Egg Shape Magnetic Stirring Bars



Like oval for use in R.B flasks.

APP. DIA X LENGTH MM		PRICE / PIECE RS.
5	10	120.00
6	15	120.00
10	20	160.00
12	25	210.00
16	30	260.00
16	35	280.00
20	40	340.00
20	50	390.00
20	64	480.00
20	70	570.00

A-05 Cross Head Magnetic Stirring Bars



This Creates a Speed and deep vortex with stable and quiet operation can be used in Round Bottom Flasks, Test tubes & Cylinders.

APP. DIA X LENGTH MM		PRICE / PIECE RS.
10	10	260.00
13	13	290.00
15	15	290.00
17	17	290.00
20	20	310.00
25	25	370.00
30	30	390.00
38	38	450.00

A-06 Star Head Magnetic Stirring Bars



Star Head Magnetic Stirring Bars Special shape for small vessels, for effective Stirring action, round wafer acts as four bladed impeller. Fins on top & bottom assures complete agitation

APP. DIA X LENGTH MM		PRICE / PIECE RS.
10	10	170.00
14	12	190.00
17	13	220.00
22	15	290.00

A-07 Triangular Magnetic Stirring Bars



Triangular Magnetic Stirring Bar provides strong turbulence at low speeds, suited for churning sediments or dissolving salts.

APP. DIA X LENGTH MM		PRICE / PIECE RS.
8	12	160.00
10	25	210.00
10	35	210.00
14	30	310.00
14	40	320.00
14	50	380.00
18	80	660.00


A-08 Dumbell Magnetic Stirring Bars



Dumbell Magnetic Stirring Bars provides strong turbulence at low speed, offer reduced surface contact and excellent centring suitable for vessels with convex bottoms.

APP. DIA X LENGTH MM		PRICE / PIECE RS.
9	32 X 20	270.00
9	52 X 20	350.00

A-09 Tapered Magnetic Stirring Bars



Cylindrical, conical, round, smooth surface increases towards centre to reduce the contact surface and acts as a pivot ring.

APP. DIA X LENGTH MM		PRICE / PIECE RS.
9	20	160.00
9	25	180.00
9	30	210.00
10	40	240.00

A-10 Micro Magnetic Stirring Bars



APP. DIA X LENGTH MM		PRICE / PIECE RS.
2	6	130.00
3	3	130.00
3	6	130.00
3	8	130.00
3	10	130.00
3	13	150.00
3	25	210.00
4.5	12	180.00
4.5	16	200.00

A-11 Cell Magnetic Stirring Bars



APP. DIA X LENGTH MM		PRICE / PIECE RS.
9	8	160.00

CELL Magnetic Stirring bar for 10mm Cuvettes or Spectrophotometer cells, on mounting block consists vertical and Horizontal mixing. Cross channels in the upper surface mixes without aeration can also be used in test tubes.

A-12 Spherical Magnetic Stirring Bars



APP. DIA X LENGTH MM		PRICE / PIECE RS.
12		220.00

Ideal For Test tubes for Eccentric motion.


A-13 Jumbo Magnetic Stirring Bars



Heavy Duty for Stirring large volumes for large magnetic stirring machines

APP. DIA X LENGTH MM		PRICE / PIECE RS.
22	57	2000.00
22	100	4300.00
22	150	5900.00
25	100	4750.00
27	57	3200.00
27	108	5500.00
27	159	7500.00

A-14 Spinwing Magnetic Stirring Bars



Solid Shaped Moulded in Magrets Permits rotation in small test tubes, Micro vials centrifuge tubes, Conical shape Triangular or semi circular or Tapered semi circular

APP. DIA X LENGTH MM		PRICE / PIECE RS.
		240.00 Each

A-15 Retriever/Police Man Magnetic Stirring Bars



Cylindrical permanent magnet sealed at the end for removal or inserting of bars.

LENGTH MM	PRICE / PIECE RS.
150	330.00
200	360.00
250	390.00
300	450.00
450	700.00
600	900.00

A-16 Flexible Retriever



For those hard to reach bars from sinks etc.

APP. DIA X LENGTH MM		PRICE / PIECE RS.
400		700.00
600		900.00

A-17 Polygon



APP. DIA X LENGTH MM		PRICE / PIECE RS.
6	10	100.00
8	14	110.00
8	22	120.00
8	30	130.00
8	40	160.00
8	50	180.00
8	60	230.00

A-18 Stuffing Box



Stuffing Box glands cone with cap having shaft dia from 6 to 19mm. (Specify shaft Dia.)

SIZE	SHAFT DIA	PRICE / PIECE RS.
B14	6	240.00
B19	8	240.00
B24	8/10	350.00
B29	8/10	350.00
B34	8/10	425.00
B40	8/10	680.00
B45	10/12	1020.00
B50	10/12	1200.00
B55	10/12	1400.00

A-19 Brass Pulley Stuffing Box

Stuffing box gland with Brass Pulley rotation is achieved by coupling to a geared motor via drive pulley. (Specify Shaft Dia.)

NS	SHAFT DIA MM	PRICE / PIECE RS.
B24	8/10	1400.00
B34	8/10	1700.00

A-20 ALL PTFE PULLEY

Stuffing box gland with PTFE Pulley without bearings rotation on bushes. All Teflon (Specify Shaft Dia.)


SIZE	SHAFT DIA	PRICE / PIECE RS.
B24	8/10	1150.00
B29	8/10	1250.00
B34	8/10	1350.00

A-21 Mercury Seal

Mercury Seal with Cap (Specify Shaft Dia.)

SIZE	SHAFT DIA	PRICE / PIECE RS.
B24	8/10	10750.00
B29	8/10	1200.00
B34	8/10	1400.00

A-22 Blades-Stirrer



Stirrer Blades moon shaped with long groove key hole for glass stirrer shafts. (Specify Socket and Bore Size)

Length mm	Width mm	Thick ness mm	Bore	Socket	Capacity ml	Price / Piece Rs.
40	20	3.0	6	24/29	50	85.00
50	20	3.0	10	24/29	100	100.00
75	20	3.0	10	24/29	500	145.00
75	25	3.0	10	29/32	500	145.00
75	30	3.0	10	34/39	500	145.00
100	20	3.0	10	24/29	2000	180.00
100	25	3.0	10	29/32	2000	180.00
100	30	3.0	10	34/39	2000	180.00
125	30	4.0	10	34/39	2000	210.00
150	30	5.0	10	34/39	5000	300.00
175	30	5.0	10	34/39	10000	550.00
200	50	6.0	10	55/44	10000	625.00

Beaker - made of PTFE tall shape, griffon wih spout, unbreakable, resistant against all chemicals except molten metals and fluoride, smooth surface non contaminating and particulary valuable for critical laboratory operation even at elavated temperatures made upto 275°C.

B-01 Beaker



Beakers with spout, reinforced rim, thickwall smooth interior surface.

CAPACITY ML	PRICE / PIECE RS.
1	200.00
3	200.00
5	240.00
10	240.00
25	260.00
50	480.00
100	850.00
150	1000.00
250	1600.00
400	2000.00
500	2400.00
600	3400.00
1000	3800.00
2000	9000.00
5000	14500.00

B-02 Lid for Beakers



LID FOR ABOVE BEAKERS- 3 mm thickness

CAPACITY ML	PRICE / PIECE RS.
1	60.00
3	60.00
5	60.00
10	60.00
25	60.00
50	90.00
100	120.00
150	140.00
250	180.00
400	240.00
500	270.00
600	330.00
1000	245.00
2000	600.00
5000	1050.00


B-03 PTFE Wide Mouth Bottles

PTFE wide mouth bottles, sturdy strong wall design including screw closure

CAPACITY ML	PRICE / PIECE RS.
25	700.00
50	900.00
100	1500.00
250	1900.00
500	3600.00
1000	6400.00
2000	11000.00

B-05 Conical Flask Wide Mouth

CAPACITY ML	PRICE / PIECE RS.
100	1500.00
250	2700.00
500	4500.00

B-06 Conical Flask Wide Mouth with Screw Cap

CAPACITY ML	PRICE / PIECE RS.
100	1800.00
250	3000.00
500	5100.00

B-07 Crucibles

CAPACITY ML	PRICE / PIECE RS.
15	390.00
25	560.00
50	1000.00
80	1350.00
100	2250.00

B-08 Lids for Crucibles

CAPACITY ML	PRICE / PIECE RS.
15	250.00
25	375.00
50	600.00
80	750.00
100	1000.00

B-09 Evaporating Dishses Conical Shape with Spout

CAPACITY ML	PRICE / PIECE RS.
50	1175.00
100	2100.00
250	3500.00

B-10 Evaporating Dishses Cylindrical Shape with Spout

CAPACITY ML	PRICE / PIECE RS.
50	1060.00
100	2000.00
250	3000.00

B-11 Tissue Grinders

PTFE Vessel homogenizers consists of piston plain or serrated as required

CAPACITY ML	PRICE / PIECE RS.
5	800.00
10	900.00
20	1050.00
30	1250.00
55	1350.00

B-12 Jars or Vessels with Screw Cap

CAPACITY ML	PRICE / PIECE RS.
7	420.00
15	480.00
25	500.00
50	900.00
75	1250.00
100	1500.00
125	1750.00
150	2500.00
250	3000.00

B-13 Watch Glass


CAPACITY ML	PRICE / PIECE RS.
30	125.00
50	150.00
75	200.00
100	250.00
125	3750.00

HIEGHT

B-14 BASIN WITH SPOUT PTFE


CAPACITY	OUT DIA	HEIGHT	PRICE PER PC
50	82	33	1000.00
100ML	100	45	2250.00

B-15 Centrifuge Tubes with Round Bottoms




CAPACITY ML	OUT. DIA.	HEIGHT	W. T.	PRICE / PIECE RS.
7	2	100	1.0	475.00
12	16	100	1.0	730.00
28	24	100	2.0	1200.00
50	34	100	2.5	1800.00
72	40	100	3.0	2000.00
93	44	100	3.0	2400.00

B-16 Centrifuge Tubes with Conical Shape



CAPACITY ML	PRICE / PIECE RS.
15	450.00

B-17 Centrifuge tubes screw cap or conical bottom with PTFE liners

Centrifuge tubes screw cap or conical bottom with PTFE liners with constructed neck.

CAPACITY ML	PRICE / PIECE RS.
15	680.00
30	1100.00
50	1600.00

B-18 Test Tubes

DIA	LENGTH	CAPACITY ML	
8	70	1.5	410.00
10	100	4.8	475.00
12	100	7.0	540.00
18	100	17.5	750.00

B-19 Test Tubes with Socket

DIA	LENGTH	SOCKET	CAPACITY ML	PRICE / PIECE RS.
20	140	19/26	20	1250.00
30	150	29/32	50	1600.00

B-20 Test Tube Rack Excellent Chemical Resistant

Test Tube Rack Excellent Chemical Resistant suitable for deep freezing in liquid nitrogen and for higher temp in ovens.

TEST TUBES DIA UPTO	POSITION	L X W X HT	PRICE / PIECE RS.
13	21	180x180x60	1600.00
19	10	180x060x70	1600.00
30	04	180x060x80	1600.00

B-21 PTFE Syringe Filter

DIA	PRICE / PIECE RS.
13 mm	1100.00
25 mm	1300.00

B-22 PTFE Petri Dish Top Or Bottom


DIA	PRICE / PIECE RS.
50mm	350.00
80mm	650.00
100mm	900.00
150mm	1700.00
200mm	3200.00

C-01 Solid Stoppers with standard ground joint hexagonal grip



STOPPENS SIZES	PRICE / PIECE RS.
B10/19	200.00
B14/23	240.00
B19/26	240.00
B24/29	350.00
B29/32	350.00
B34/35	425.00
B40	680.00
B45	1020.00
B50	1200.00
B55/44	1360.00

C-02 Joining Sleeves



Joining Sleeves for Gastight, liquid tight and vacuum tight slip on tubes for standard ground joint for stoppers connections, reusable (No greasing required)

NS	PRICE / PIECE RS.
B14	300.00
B19	400.00
B24	500.00
B29	600.00
B34	800.00
B40	1200.00
B45	1300.00
B55	1400.00

C-03 Rigid Sleeves



Rigid sleeves for cone to socket gripping collar for ready removal


NS	PRICE / PIECE RS.
B14	430.00
B19	500.00
B24	660.00
B29	720.00
B34	1040.00

C-04 Funnels

DIAMETER	PRICE / PIECE RS.
25	300.00
30	400.00
50	500.00
75	900.00
100	1900.00

C-06 Forceps with Pointed Ends

LENGTH MM	PRICE / PIECE RS.
100	650.00
150	900.00

C-07 Forceps with Blunt Ends


LENGTH MM	PRICE / PIECE RS.
100	650.00
150	900.00

C-08 Double Spatulas

LENGTH MM	PRICE / PIECE RS.
150	570.00


C-09 PENNYHEAD STOPPER FOR VOLVMETRIC FLASKS

STOPPER SIZE	PRICE / PIECE RS.
10 / 15	150.00
14 / 15	150.00
19 / 20	200.00

C-12 Plain Stirring Rod

CAPACITY MM	PRICE / PIECE RS.
8	140.00
10	240.00
12	360.00

C-12 Plain Stirring Rod length 250 mm.

C-13 Plain Stirring Rod with Metal Insert

DIA ML	PRICE / PIECE RS.
10	500.00

C-14 Solid Spherical Balls with Smooth Surface

DIA ML	PRICE / PIECE RS.
3	30.00
6	30.00
8	45.00
10	50.00
12	50.00
15	90.00
20	180.00
25	240.00
30	400.00

Our Terms & Conditions

- 1) Prices are nett taxes extra
- 2) Delivery within 3 to 4 weeks or ex stock
- 3) Packing, forwarding & freight and octroi to your account
- 4) Payment advance along with order
- 5) Prices are subject to change without notice
- 6) This cancels all previous Price Lists
- 7) All disputes subject to Mumbai jurisdiction

GMS Microscope Slides



Specifications :

Size 76 x 26 mm + 0.1 mm

Thickness variations + 0.2 mm

Packing Details:

Each Packet of 50 Slides is wrapped in Cellophane. Ten packets packed in inner case. Ten inner cases are packed in +5 ply outer carton.

Item No. 11111	Grade	Thickness	PRICE / Pkt. Rs.
PLAIN			
1)	G	1.35 mm	42.00
2)	2G	1.15 mm	48.00
3)	3G	0.95 mm	60.00
ONE SIDE FROSTED			
4)	GF	1.35 mm	65.00
5)	2GF	1.15 mm	65.00
6)	3GF	0.95 mm	75.00
BOTH SIDE FROSTED			
7)	G2F	1.35 mm	70.00
8)	2G2F	1.15 mm	70.00
9)	3G2F	0.95 mm	80.00

GMS Microscope cover Slip



GMS Coverslips are cut from machine drawn optical glass, excellent flatness, colourless borosilicate glass. Sheets are imported either from Schott (Germany) or Corning (U.S.A.) is highly resistant to Chemical attack free of striae, bubbles, streaks or brittleness etc. High spectral transmission, thickness controlled within tolerances prescribed. GMS coverslips are uniform in size, are clean, and ready to use. Refractive Index 1.52 ± 0.01 .

THICKNESS SPECIFICATIONS

Grade No. 0	0.08 to 0.13 mm	1/250"
Grade No. 1	0.13 to 0.16 mm	1/200"

CAPACITY MM	No. 1	No. 0
Cover Glass Square		
18 x 18, 19 x 19, 22 x 22, 24 x 24, 25 x 25 mm	72.00	95.00
Cover Glass Rectangular		
22 x 25, 22 x 30, 22 x 40, 22 x 50 mm	74.00	100.00
Cover Glass Rectangular (special)		
22 x 60, 24 x 40, 24 x 50, 24 x 60, 25 x 50 mm	80.00	105.00
Haemocytometer Cover Glass		
20 x 25 x 0.4 mm Thick	140.00	

Packing Details:

10 gms packed in a plastic container with slots on both sides for easy removal. Wrapped in cellophane to avoid moisture 20 Plastic Containers In Card Board Box. Case contains 20 plastic Containers in a Card Board Box